

Statistics Qualifying Exam

September 12, 2007

Name :

1. Let Y_n be the maximum of a random sample of size n from a distribution with pdf,

$$f(x) = \begin{cases} e^{-x}, & 0 < x < \infty \\ 0, & \text{elsewhere} \end{cases}.$$

Find the limiting distribution of $Z_n = (Y_n - \log n)$.

2. Consider a random sample of size n from a distribution with pdf,

$$f(x) = \begin{cases} \frac{1}{\theta} e^{-x/\theta}, & 0 < x < \infty \\ 0, & \text{elsewhere} \end{cases}.$$

Find the MLE and MVUE of $\tau(\theta) = P(X \leq 2)$.

3. Let X_1 and X_2 have the joint pdf

$$f(x_1, x_2) = \begin{cases} \frac{1}{\pi}, & 0 < x_1^2 + x_2^2 < 1 \\ 0, & \text{elsewhere} \end{cases}.$$

(a) Find the joint pdf of $Y_1 = X_1^2 + X_2^2$ and $Y_2 = X_2$.

(b) Find the marginal pdf of Y_1 .

4. Let X_1, X_2, \dots, X_5 be i.i.d. random variables with common probability density function, for $0 < \theta < \infty$,

$$f(x; \theta) = \begin{cases} \frac{1}{\theta}, & 0 < x < \theta \\ 0, & \text{elsewhere} \end{cases}.$$

(a) Find the pdf of $Y_5 = \max\{X_1, X_2, \dots, X_5\}$.

(b) Derive a two-sided 95% confidence interval for θ based on Y_5 .

5. Let X_1, \dots, X_n be iid with Bernoulli distribution,

$$f(x; p) = p^x (1-p)^{1-x}, \quad x = 0, 1, \quad 0 < p < 1.$$

(a) Find the MLE of p .

(b) Find the Cramer-Rao Lower Bound(CRLB) of p .

(c) Is the MLE of p an efficient estimator ?


6. A certain geneticist is interested in the proportion of males and females in the population that have a certain minor blood disorder. In a random sample of 1000 males, 250 are found to be afflicted, whereas 275 of 1000 females tested appear to have the disorder. Compute a 95% confidence interval for the difference between the proportion of males and females that have the blood disorder.
7. Suppose x_1, x_2, \dots, x_{25} is a random sample from a normal distribution with mean μ and standard deviation 3. Suppose the sample mean is 10.2.
- Show how to test the hypothesis $H_0 : \mu = 11$ vs $H_1 : \mu \neq 11$ at a given significance level α .
 - Find the p-value.
 - show how to compute the probability of a Type II error.
8. (a) Assume a one-way anova with the same number of observations for each treatment. Suppose the degrees of freedom for treatments is 4 and the degrees of freedom for error is 45. Find (i) the number of treatments, and (ii) the number of observations for each treatment.
- (b) For a one-way ANOVA with three groups, the sample sizes are 10, 10, and 20; and the corresponding variances are 50, 70, and 40. Find the MSE.
- (c) In a one-way ANOVA with three groups, you are interested in the difference between the mean of the first group and the average of the means of the other groups. If the MSE is 60 and the sample sizes are 10, 6, and 12, find the standard error for this difference.
9. (a) In $2 \times 3 \times 5$ three-way ANOVA with 4 observations per treatment combination, give the degrees of freedom for the F statistic that is used to test the three-way interaction.
- (b) Assume that you are analyzing a 3×2 two-way ANOVA using SAS with CLASS A B; and MODEL A B A*B; in PROC GLM. Write a CONTRAST statement to compare $(\mu_{11} + \mu_{21})/2$ with μ_{31} .
- (c) Consider a one-way random effects model with 8 levels for factor A and 10 observations at each level. Suppose MSE = 25 and MSA = 105. Give estimates for all parameters of the model.

10. Given the following information, with n=13,

Model	R-Square	MSE	SSE	Variables in Model
1	0.6745	80.35154	883.86692	X4
1	0.6663	82.39421	906.33634	X2
1	0.5339	115.06243	1265.68675	X1
1	0.2859	176.30913	1939.40047	X3
2	0.9787	5.79045	57.90448	X1 X2
2	0.9725	7.47621	74.76211	X1 X4
2	0.9353	17.57380	175.73800	X3 X4
2	0.8470	41.54427	415.44273	X2 X3
2	0.6801	86.88801	868.88013	X2 X4
2	0.5482	122.70721	1227.07206	X1 X3
3	0.9823	5.33030	47.97273	X1 X2 X4
3	0.9823	5.34562	48.11061	X1 X2 X3
3	0.9813	5.64846	50.83612	X1 X3 X4
3	0.9728	8.20162	73.81455	X2 X3 X4
4	0.9824	5.98295	47.86364	X1 X2 X3 X4

- Test the hypothesis $H_0 : \beta_3 = \beta_4 = 0$ versus $H_1 : \text{not both } 0$ in the full model, $Y = X_1 X_2 X_3 X_4$, using a .05 level of significance.
- Perform a stepwise regression using a .05 level of significance.

Standard Normal Cumulative Probability Table



Cumulative probabilities for POSITIVE z-values are shown in the following table:



F Table for alpha=.05 .

df2/df1	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	INF
1	161.4476	199.5000	215.7073	224.5832	230.1619	233.9960	236.7684	238.8827	240.5433	241.8817	243.9060	245.9498	248.0131	249.0518	250.0951	251.1432	252.1957	253.2529	254.3144
2	18.5128	19.0000	19.1643	19.2468	19.2964	19.3295	19.3532	19.3710	19.3848	19.3959	19.4125	19.4291	19.4458	19.4541	19.4624	19.4707	19.4791	19.4874	19.4957
3	10.1280	9.5521	9.2766	9.1172	9.0135	8.9406	8.8867	8.8452	8.8123	8.7855	8.7446	8.7029	8.6602	8.6385	8.6166	8.5944	8.5720	8.5494	8.5264
4	7.7086	6.9443	6.5914	6.3882	6.2561	6.1631	6.0942	6.0410	5.9988	5.9644	5.9117	5.8578	5.8025	5.7744	5.7459	5.7170	5.6877	5.6581	5.6261
5	6.6079	5.7881	5.4095	5.1922	5.0503	4.9503	4.8759	4.8183	4.7725	4.7351	4.6777	4.6188	4.5581	4.5272	4.4957	4.4638	4.4314	4.3985	4.3650
6	5.9874	5.1433	4.7571	4.5337	4.3874	4.2839	4.2057	4.1468	4.0990	4.0600	3.9999	3.9381	3.8742	3.8415	3.8082	3.7743	3.7398	3.7047	3.6689
7	5.5914	4.7374	4.3468	4.1203	3.9715	3.8660	3.7870	3.7257	3.6767	3.6365	3.5747	3.5107	3.4445	3.4105	3.3758	3.3404	3.3043	3.2674	3.2298
8	5.3177	4.4590	4.0662	3.8379	3.6875	3.5806	3.5005	3.4381	3.3881	3.3472	3.2839	3.2184	3.1503	3.1152	3.0794	3.0428	3.0053	2.9689	2.9276
9	5.1174	4.2565	3.8625	3.6331	3.4817	3.3738	3.2927	3.2295	3.1789	3.1373	3.0729	3.0061	2.9365	2.9005	2.8637	2.8259	2.7872	2.7475	2.7061
10	4.9646	4.1028	3.7083	3.4780	3.3258	3.2172	3.1355	3.0717	3.0204	2.9782	2.9130	2.8450	2.7740	2.7372	2.6996	2.6609	2.6211	2.5801	2.5379
11	4.8443	3.9823	3.5874	3.3567	3.2039	3.0946	3.0123	2.9480	2.8862	2.8536	2.7876	2.7186	2.6464	2.6090	2.5705	2.5309	2.4901	2.4480	2.4035
12	4.7472	3.8853	3.4903	3.2592	3.1059	2.9961	2.9134	2.8486	2.7864	2.7534	2.6866	2.6189	2.5426	2.5055	2.4663	2.4259	2.3842	2.3419	2.2962
13	4.6672	3.8056	3.4105	3.1791	3.0254	2.9153	2.8321	2.7669	2.7144	2.6710	2.6037	2.5331	2.4589	2.4202	2.3803	2.3392	2.2966	2.2524	2.2064
14	4.6001	3.7389	3.3439	3.1122	2.9582	2.8477	2.7642	2.6987	2.6458	2.6022	2.5342	2.4630	2.3879	2.3487	2.3082	2.2664	2.2229	2.1778	2.1387
15	4.5431	3.6823	3.2874	3.0556	2.9013	2.7905	2.7066	2.6408	2.5876	2.5437	2.4753	2.4034	2.3275	2.2678	2.2468	2.2043	2.1601	2.1141	2.0658
16	4.4940	3.6337	3.2389	3.0069	2.8524	2.7413	2.6572	2.5811	2.5377	2.4935	2.4247	2.3522	2.2756	2.2354	2.1938	2.1507	2.1058	2.0589	2.0096
17	4.4513	3.5915	3.1968	2.9647	2.8100	2.6987	2.6143	2.5490	2.4943	2.4499	2.3807	2.3077	2.2304	2.1889	2.1477	2.1040	2.0584	2.0107	1.9604
18	4.4139	3.5546	3.1599	2.9277	2.7729	2.6613	2.5767	2.5102	2.4563	2.4117	2.3421	2.2686	2.1906	2.1497	2.1071	2.0629	2.0166	1.9681	1.9158
19	4.3907	3.5219	3.1274	2.8951	2.7401	2.6283	2.5435	2.4768	2.4227	2.3779	2.3080	2.2341	2.1555	2.1141	2.0712	2.0264	1.9795	1.9302	1.8780
20	4.3512	3.4928	3.0984	2.8681	2.7109	2.5990	2.5140	2.4471	2.3928	2.3479	2.2776	2.2033	2.1242	2.0825	2.0391	1.9938	1.9464	1.8963	1.8432
21	4.3248	3.4688	3.0725	2.8401	2.6848	2.5727	2.4876	2.4205	2.3660	2.3210	2.2504	2.1757	2.0980	2.0540	2.0102	1.9645	1.9165	1.8651	1.8117
22	4.3009	3.4434	3.0491	2.8167	2.6613	2.5491	2.4638	2.3965	2.3419	2.2967	2.2258	2.1508	2.0707	2.0283	1.9842	1.9380	1.8894	1.8380	1.7831
23	4.2793	3.4221	3.0280	2.7955	2.6400	2.5277	2.4422	2.3748	2.3201	2.2747	2.2036	2.1282	2.0476	2.0050	1.9605	1.9129	1.8648	1.8128	1.7570
24	4.2597	3.4028	3.0088	2.7763	2.6207	2.5082	2.4226	2.3551	2.3002	2.2547	2.1834	2.1077	2.0267	1.9838	1.9390	1.8920	1.8424	1.7896	1.7330
25	4.2417	3.3852	2.9912	2.7587	2.6030	2.4904	2.4047	2.3371	2.2821	2.2365	2.1649	2.0889	2.0075	1.9543	1.9192	1.8718	1.8217	1.7684	1.7110
26	4.2252	3.3690	2.9752	2.7426	2.5868	2.4741	2.3883	2.3205	2.2655	2.2197	2.1479	2.0716	1.9898	1.9454	1.9010	1.8533	1.8027	1.7488	1.6906
27	4.2100	3.3541	2.9604	2.7278	2.5719	2.4591	2.3732	2.3053	2.2501	2.2043	2.1323	2.0558	1.9736	1.9299	1.8842	1.8361	1.7851	1.7306	1.6717
28	4.1960	3.3404	2.9457	2.7141	2.5581	2.4453	2.3593	2.2913	2.2360	2.1900	2.1179	2.0411	1.9586	1.9147	1.8687	1.8203	1.7689	1.7138	1.6541
29	4.1830	3.3277	2.9340	2.7014	2.5454	2.4324	2.3463	2.2783	2.2229	2.1768	2.1045	2.0275	1.9446	1.9005	1.8543	1.8055	1.7537	1.6981	1.6376
30	4.1709	3.3158	2.9223	2.6896	2.5336	2.4205	2.3343	2.2662	2.2107	2.1646	2.0921	2.0148	1.9317	1.8874	1.8408	1.7918	1.7398	1.6835	1.6223
40	4.0847	3.2317	2.8387	2.6050	2.4495	2.3359	2.2490	2.1802	2.1240	2.0772	2.0035	1.9245	1.8389	1.7929	1.7444	1.6928	1.6373	1.5766	1.5089
60	4.0012	3.1504	2.7581	2.5252	2.3683	2.2541	2.1665	2.0970	2.0401	1.9926	1.9174	1.8364	1.7480	1.7001	1.6491	1.5943	1.5343	1.4673	1.3993
120	3.9201	3.0718	2.6802	2.4472	2.2899	2.1750	2.0868	2.0164	1.9588	1.9105	1.8337	1.7505	1.6587	1.6084	1.5543	1.4952	1.4290	1.3519	1.2539
inf	3.8415	2.9957	2.6049	2.3719	2.2141	2.0988	2.0098	1.9384	1.8798	1.8307	1.7522	1.6684	1.5705	1.5173	1.4591	1.3940	1.3180	1.2214	1.0000